


ARMY FM 10-524
AIR FORCE TO 13C7-14-471

AIRDROP OF SUPPLIES AND EQUIPMENT

RIGGING
COMMUNICATIONS SHELTERS
AND POWER UNIT



DEPARTMENTS OF THE ARMY AND THE AIR FORCE

CHANGE
NO 2

HEADQUARTERS
DEPARTMENTS OF THE ARMY
AND THE AIR FORCE
Washington, DC, 31 October 1990

AIRDROP OF SUPPLIES AND EQUIPMENT
RIGGING COMMUNICATIONS SHELTERS AND POWER UNIT

This change adds the procedures for rigging the S-318/G shelter with AN/GRC-122 or AN/GRC-142 communications equipment for low-velocity airdrop on a type V platform. It also provides procedures for rigging the S-502 or S-250/G shelters with AN/GRC-142 communications equipment for low-velocity and LAPE airdrop on a type V platform. The instructions for rigging the PU-619M trailer-mounted power unit for low-velocity airdrop on a type V platform are given in this change. Also, the instructions for rigging the PU-620M trailer-mounted power unit for low-velocity and LAPE airdrop on a type V platform are provided. Also, with this change, the distribution restriction statement is changed to read as follows: "DISTRIBUTION RESTRICTION. Approved for public release; distribution is unlimited." Please mark this change, as appropriate, on the cover and title (table of contents) page of the basic manual. With use of this statement, a destruction notice is not required. Please delete it where it appears.

FM 10-524/TO 13C7-14-471, 11 February 1981, is changed as follows:

1. New or changed material is identified by a vertical bar in the margin opposite the changed material.
2. Remove old pages and insert new pages as indicated below:

Remove pages	Insert pages
i through vii	i through vi
1-1	1-1 through 1-2
2-1 and 2-2	2-1 and 2-2
6-1 and 6-2	6-1 and 6-2
6-17 and 6-18	6-17 and 6-18
7-1 and 7-2	7-1 and 7-2
7-9 and 7-10	7-9 and 7-10
8-1 and 8-2	8-1 and 8-2
8-11	8-11
	9-1 through 9-27
	10-1 through 10-33
	11-1 through 11-66
	Glossary-1
A-1	References-1

3. File this transmittal sheet in front of the publication for reference purposes.

By Order of the Secretaries of the Army and Air Force:

CARLE E. VUONO
General, United States Army
Chief of Staff

Official:

THOMAS F. SIKORA
Brigadier General, United States Army
The Adjutant General

DISTRIBUTION:

Active Army, USAR, and ARNG: To be distributed in accordance with DA Form 12-11-E, requirements for FM 10-524 , Airdrop of Supplies and Equipment: Rigging Communications Shelters and Power Unit (Qty rqr block no. 0907).

Change
No 1

DEPARTMENTS OF THE ARMY
AND THE AIR FORCE
Washington, DC, 27 February 1985

AIRDROP OF SUPPLIES AND EQUIPMENT
RIGGING COMMUNICATIONS SHELTERS AND POWER UNIT

This change adds the procedures for rigging the S-318/G shelter with AN/GRC-142 equipment for low-velocity airdrop. It also provides procedures for rigging the S-250 and S-502 shelters with AN/GRC-142 equipment for low-velocity and LAPE airdrop.

FM 10-524/TO 13C7-14-471, 11 February 1981, is changed as follows:

1. Remove old pages and insert new pages as indicated below.

Remove pages	Insert pages
i through v	i through vii
1-1	1-1
2-1 and 2-2	2-1 and 2-2
.....	2-23 through 2-30
5-11 and 5-12	5-11 and 5-12
.....	7-1 through 7-10
.....	8-1 through 8-11

2. New or changed materials are identified by a vertical bar in the margin opposite the changed material.
3. File this transmittal sheet in front of the publication for reference purposes.

DISTRIBUTION RESTRICTION: This publication contains technical or operational information that is for official Government use only. Distribution is limited to US Government agencies. Requests from outside the US Government for release of this publication under the Freedom of Information Act or the Foreign Military Sales Program must be made to HQ TRADOC, Ft Monroe, VA 23651-5000.

FIELD MANUAL
NO 10-524
TECHNICAL ORDER
NO 13C7-14-471

HEADQUARTERS
DEPARTMENTS OF THE ARMY AND
THE AIR FORCE
Washington, DC, 11 February 1981

AIRDROP OF SUPPLIES AND EQUIPMENT RIGGING COMMUNICATIONS SHELTERS AND POWER UNIT

Table of Contents

		Paragraph	Page
CHAPTER 1	INTRODUCTION		
	Scope	1-1	1-1
	Special Considerations	1-2	1-1
	Recommended Changes	1-3	1-2
CHAPTER 2	RIGGING THE S-318/G SHELTER ON THE TYPE II PLATFORM		
Section I	RIGGING THE SHELTER WITH AN/GRC-122 EQUIPMENT INSTALLED FOR LOW-VELOCITY AIRDROP		
	Description of Load	2-1	2-1
	Preparing Platform and Installing Suspension Slings	2-2	2-1
	Building and Placing Honeycomb Stack	2-3	2-3
	Preparing the Shelter	2-4	2-3
	Positioning Shelter	2-5	2-14
	Lashing Shelter	2-6	2-14
	Safetying Suspension Slings	2-7	2-14
	Stowing Cargo Parachute	2-8	2-14
	Installing Extraction System	2-9	2-19
	Installing Release System	2-10	2-19
	Positioning Extraction Parachute	2-11	2-19
	Marking Rigged Load	2-12	2-19
	Equipment Required	2-13	2-19
Section II	RIGGING THE SHELTER WITH AN/GRC-142 EQUIPMENT INSTALLED FOR LOW-VELOCITY AIRDROP		
	Description of Load	2-14	2-23
	Preparing Platform and Installing Suspension Slings	2-15	2-23
	Building and Placing Honeycomb Stacks	2-16	2-23
	Preparing Shelter	2-17	2-23
	Rigging the Load	2-18	2-23
	Marking Rigged Load	2-19	2-23
CHAPTER 3	RIGGING S-89/G SHELTER WITH AN/MRC-68 RADIO SET FOR LOW-VELOCITY AIRDROP		
	Description of Load	3-1	3-1
	Preparing Platform and Installing Suspension Slings and Attaching Point	3-2	3-1
	Placing Honeycomb	3-3	3-1
	Preparing S-89/G Shelter	3-4	3-1
	Positioning Shelter	3-5	3-1

DISTRIBUTION RESTRICTION. Approved for public release; distribution is unlimited.

* This manual supersedes TM 10-500-24/TO 13C7-14-471, 29 January 1971.

	Paragraph	Page
Covering Load	3-6	3-5
Lashing Shelter	3-7	3-5
Safeying Suspension Slings	3-8	3-5
Stowing Cargo Parachute	3-9	3-8
Installing Extraction System	3-10	3-8
Installing Release System	3-11	3-8
Positioning Extraction Parachute	3-12	3-8
Marking Rigged Load	3-13	3-8
Equipment Required	3-14	3-8
CHAPTER 4 RIGGING S-144/G COMMUNICATIONS SHELTER WITH AN/GRC-46A RADIO TELETYPEWRITER SET OR S-144A/G SHELTER WITH AN/GRC-46B RADIO TELETYPEWRITER SET		
Description of Load	4-1	4-1
Preparing Platform and Installing Suspension Slings and Attaching Point	4-2	4-1
Placing Honeycomb	4-3	4-1
Preparing Shelter	4-4	4-1
Positioning Shelter	4-5	4-1
Installing Lashings	4-6	4-1
Stowing Accompanying Load	4-7	4-8
Stowing Cargo Parachute	4-8	4-8
Installing Extraction System	4-9	4-10
Safeying Suspension Slings	4-10	4-10
Installing Release System	4-11	4-10
Positioning Extraction Parachute	4-12	4-10
Marking Rigged Load	4-13	4-10
Equipment Required	4-14	4-10
CHAPTER 5 RIGGING THE S-171B-MRC SHELTER EQUIPPED WITH MODEL SB-611 COMMUNICATIONS ITEMS		
Section I RIGGING THE SHELTER FOR LOW-VELOCITY AIRDROP		
Description of Load	5-1	5-1
Preparing Platform and Placing Honeycomb	5-2	5-1
Stowing Accompanying Load	5-3	5-1
Preparing Shelter	5-4	5-1
Rigging the Load	5-5	5-1
Marking Rigged Load	5-6	5-1
Equipment Required	5-7	5-1
Section II RIGGING THE SHELTER FOR LAPE		
Description of Load	5-8	5-5
Preparing Platform	5-9	5-5
Positioning Straps and Honeycomb	5-10	5-5
Stowing Accompanying Load	5-11	5-5
Preparing Shelter	5-12	5-5
Positioning Shelter	5-13	5-5
Lashing Shelter	5-14	5-8
Installing Attitude Control Bar	5-15	5-8
Installing Extraction System	5-16	5-12
Placing Articulating Link	5-17	5-13
Marking Rigged Load	5-18	5-13

	Paragraph	Page
	5-19	5-13
CHAPTER 6	RIGGING PU-620M TRAILER-MOUNTED POWER UNIT FOR AIRDROP	
Section I	RIGGING POWER UNIT FOR LOW-VELOCITY AIRDROP ON THE TYPE II PLATFORM	
	6-1	6-1
	6-2	6-1
	6-3	6-1
	6-4	6-1
	6-5	6-1
	6-6	6-1
	6-7	6-1
	6-8	6-8
	6-9	6-8
	6-10	6-8
	6-11	6-9
	6-12	6-9
	6-13	6-12
	6-14	6-12
	6-15	6-14
Section II	RIGGING POWER UNIT FOR LAPE AIRDROP ON THE LAPES PLATFORM	
	6-16	6-17
	6-17	6-17
	6-18	6-17
	6-19	6-23
	6-20	6-23
	6-21	6-23
	6-22	6-24
	6-23	6-24
	6-24	6-24
	6-25	6-24
	6-26	6-24
CHAPTER 7	RIGGING THE S-250 SHELTER WITH AN/GRC-142 EQUIPMENT INSTALLED	
Section I	RIGGING SHELTER FOR LOW-VELOCITY AIRDROP ON THE TYPE II PLATFORM	
	7-1	7-1
	7-2	7-1
	7-3	7-1
	7-4	7-1
	7-5	7-1
	7-6	7-1
	7-7	7-1
Section II	RIGGING SHELTER FOR LAPE AIRDROP ON THE LAPES PLATFORM	
	7-8	7-10
	7-9	7-10

	Paragraph	Page
Stowing Accompanying Load.....	7-10	7-10
Preparing Shelter	7-11	7-10
Rigging the Load.....	7-12	7-10
Marking Rigged Load	7-13	7-10
Equipment Required	7-14	7-10
CHAPTER 8 RIGGING THE S-502 SHELTER WITH AN/GRC-142 EQUIPMENT INSTALLED		
Section I RIGGING SHELTER FOR LOW-VELOCITY AIRDROP ON THE TYPE II PLATFORM		
Description of Load	8-1	8-1
Preparing Platform and Installing Suspension Slings	8-2	8-1
Building and Placing Honeycomb Stack	8-3	8-1
Preparing Shelter	8-4	8-1
Rigging the Load.....	8-5	8-1
Marking Rigged Load	8-6	8-1
Equipment Required	8-7	8-1
Section II RIGGING SHELTER FOR LAPE AIRDROP ON THE LAPES PLATFORM		
Description of Load	8-8	8-11
Preparing Platform and Honeycomb	8-9	8-11
Stowing Accompanying Load.....	8-10	8-11
Preparing Shelter	8-11	8-11
Rigging the Load.....	8-12	8-11
Marking Rigged Load	8-13	8-11
Equipment Required	8-14	8-11
CHAPTER 9 RIGGING THE S-318/G SHELTER WITH AN/GRC-122 OR AN/GRC-142 COMMUNICATIONS EQUIPMENT INSTALLED FOR LOW-VELOCITY AIRDROP ON THE TYPE V PLATFORM		
Description of Load	9-1	9-1
Preparing Platform	9-2	9-1
Preparing and Positioning Honeycomb Stack	9-3	9-2
Preparing Shelter	9-4	9-4
Positioning Shelter	9-5	9-15
Lashing Shelter	9-6	9-16
Installing and Safetying Suspension Slings	9-7	9-17
Stowing Cargo Parachute	9-8	9-19
Installing Extraction System	9-9	9-21
Installing Parachute Release	9-10	9-22
Installing Provisions for Emergency Restraints	9-11	9-23
Placing Extraction Parachute	9-12	9-24
Marking Rigged Load	9-13	9-24
Equipment Required	9-14	9-26
CHAPTER 10 RIGGING THE S-502 OR S-250/G SHELTERS WITH AN/GRC-142 COMMUNICATIONS EQUIPMENT ON THE TYPE V PLATFORM		
Section I LOW-VELOCITY AIRDROP		
Description of Load	10-1	10-1
Preparing Platform	10-2	10-1

	Paragraph	Page
	Preparing and Positioning Honeycomb Stack	10-3 10-1
	Preparing Shelter	10-4 10-3
	Positioning Shelter	10-5 10-8
	Lashing Shelter	10-6 10-8
	Installing and Safeying Suspension Slings	10-7 10-8
	Stowing Cargo Parachute	10-8 10-8
	Installing Extraction System	10-9 10-8
	Installing Parachute Release	10-10 10-8
	Installing Provisions for Emergency Restraints	10-11 10-8
	Placing Extraction Parachute	10-12 10-8
	Marking Rigged Load	10-13 10-8
	Equipment Required	10-14 10-10
Section II	LAPE AIRDROP	
	Description of Load	10-15 10-11
	Preparing Platform	10-16 10-11
	Preparing and Positioning Honeycomb Stacks	10-17 10-14
	Preparing Shelter	10-18 10-16
	Lashing Accompanying Load and Positioning Shelter	10-19 10-18
	Lashing Shelter	10-20 10-22
	Installing Attitude Control Bar	10-21 10-28
	Installing Extraction System	10-22 10-31
	Marking Rigged Load	10-23 10-32
	Equipment Required	10-24 10-32
CHAPTER 11	RIGGING THE PU-619M AND PU-620M TRAILER-MOUNTED POWER UNITS ON THE TYPE V PLATFORM	
Section I	RIGGING THE PU-619M POWER UNIT FOR LOW-VELOCITY AIRDROP	
	Description of Load	11-1 11-1
	Preparing Platform	11-2 11-2
	Preparing and Positioning Honeycomb Stacks	11-3 11-3
	Preparing Power Unit	11-4 11-7
	Positioning Power Unit and Trailer Equipment on Platform	11-5 11-11
	Lashing Power Unit	11-6 11-13
	Installing and Safeying Suspension Slings	11-7 11-14
	Stowing Cargo Parachutes	11-8 11-14
	Installing Extraction System	11-9 11-18
	Installing Parachute Release	11-10 11-19
	Installing Provisions for Emergency Restraints	11-11 11-20
	Placing Extraction Parachute	11-12 11-20
	Marking Rigged Load	11-13 11-21
	Equipment Required	11-14 11-22
Section II	RIGGING THE PU-620M POWER UNIT FOR LOW-VELOCITY AIRDROP	
	Description of Load	11-15 11-23
	Preparing Platform	11-16 11-25
	Placing Accompanying Load on Platform	11-17 11-26
	Preparing and Positioning Honeycomb Stacks	11-18 11-28
	Preparing Power Unit	11-19 11-31
	Positioning Power Unit on Platform	11-20 11-38
	Covering and Lashing Power Unit	11-21 11-38

	Paragraph	Page
Installing and Safeying Suspension Slings	11-22	11-40
Stowing Cargo Parachutes	11-23	11-41
Installing Extraction System	11-24	11-44
Installing Parachute Release	11-25	11-46
Installing Provisions for Emergency Restraints	11-26	11-46
Placing Extraction Parachute	11-27	11-46
Marking Rigged Load	11-28	11-46
Equipment Required	11-29	11-48
Section III RIGGING THE PU-620M POWER UNIT FOR LAPE AIRDROP		
Description of Load	11-30	11-49
Preparing Platform	11-31	11-49
Placing Accompanying Load on Platform	11-32	11-51
Preparing and Positioning Honeycomb Stacks	11-33	11-54
Preparing Power Unit	11-34	11-57
Positioning Power Unit on Platform	11-35	11-57
Lashing Power Unit	11-36	11-58
Installing Attitude Control Bar	11-37	11-60
Installing Extraction System	11-38	11-62
Placing Extraction Parachutes	11-39	11-64
Marking Rigged Load	11-40	11-64
Equipment Required	11-41	11-65
GLOSSARY		Glossary-1
REFERENCES		References-1