

**ARMY FM 10-532
AIR FORCE TO 13C7-3-361**

**AIRDROP OF SUPPLIES
AND EQUIPMENT**

**RIGGING
1 1/2-TON TRAILERS**



DEPARTMENTS OF THE ARMY AND THE AIR FORCE

CHANGE 4

**HEADQUARTERS
DEPARTMENT OF THE ARMY
DEPARTMENT OF THE AIR FORCE
Washington, DC, 28 June 1996**

**AIRDROP OF SUPPLIES AND EQUIPMENT
RIGGING 1 1/2-TON TRAILERS**

This change adds the procedures for rigging the 400-gallon water trailer on a type V platform for low-velocity airdrop. Also with this change, the distribution restriction statement and destruction notice shown below apply to the basic manual and Changes 1, 2 and 3.

FM 10-532/TO 13C7-3-361, 16 April 1979, is changed as follows:

1. New or changed material is identified by a vertical bar in the margin opposite the changed material.

2. Remove old pages and insert new pages as indicated below:

Remove old pages	Insert new pages
i through v	i through v
1-1	1-1
7-29 and 7-30	7-29 and 7-30
	8-1 through 8-24
Glossary-1	Glossary-1
References-1	References-1 and References-2

3. File this transmittal sheet in front of the publication for reference purposes.

DISTRIBUTION RESTRICTION: Distribution authorized to US government agencies only to protect technical or operational information from automatic dissemination under the International Exchange Program or by other means. This determination was made on 30 April 1991. Other requests for this document will be referred to Airborne and Field Services Department, US Army Quartermaster Center and School, 1010 Shop Road, Fort Lee, VA 23801-1502.

DESTRUCTION NOTICE: Destroy by any method that will prevent disclosure of contents or reconstruction of the document.

By Order of the Secretaries of the Army and the Air Force:

By Order of the Secretary of the Army:

Official:



JOEL B. HUDSON

*Administrative Assistant to the
Secretary of the Army*

01952

DENNIS J. REIMER
*General, United States Army
Chief of Staff*

DISTRIBUTION:

Active Army, USAR, and ARNG: To be distributed in accordance with DA Form 12-11E, requirements for FM 10-532, Airdrop of Supplies and Equipment: Rigging 1 1/2-Ton Trailers (Qty rqr block no. 0915).

HANGE
NO 3

HEADQUARTERS
DEPARTMENTS OF THE ARMY
AND THE AIR FORCE
Washington, DC, 24 March 1992

AIRDROP OF SUPPLIES AND EQUIPMENT RIGGING 1 1/2-TON TRAILERS

This change adds the procedures for rigging the 1 1/2-ton trailer on a type V platform for low-velocity and LAPE airdrops. Also with this change, the distribution restriction statement and destruction notice shown below must be added to the basic manual and Changes 1 and 2.

FM 10-532/TO 13C7-3-361, 16 April 1979, is changed as follows:

1. New or changed material is identified by a vertical bar in the margin opposite the changed material.
2. Remove old pages and insert new pages as indicated below:

Remove old pages	Insert new pages
i through v	i through iv
1-1	1-1
	7-1 through 7-56
	Glossary-1
A-1	References-1


3. File this transmittal sheet in front of the publication for reference purposes.

DISTRIBUTION RESTRICTION. Distribution authorized to US government agencies only to protect technical or operational information from automatic dissemination under the International Exchange Program or by other means. This determination was made on 30 April 1991. Other requests for this document will be referred to Commander, US Army Quartermaster Center and School, ATTN: ATSM-DTL, Fort Lee, VA 23801-5036.

DESTRUCTION NOTICE: Destroy by any method that will prevent disclosure of contents or reconstruction of the document.

By Order of the Secretaries of the Army and the Air Force:

Official:



MILTON H. HAMILTON
*Administrative Assistant to the
Secretary of the Army*

00787

GORDON R. SULLIVAN
*General, United States Army
Chief of Staff*

DISTRIBUTION:

Active Army, USAR, and ARNG: To be distributed in accordance with DA Form 12-11-E, requirements for FM 10-532, Airdrop of Supplies and Equipment: Rigging 1 1/2-Ton Trailers (Qty rqr block no 0915).

CHANGE

DEPARTMENTS OF THE ARMY
AND THE AIR FORCE
Washington, DC, 5 March 1984

NO 2

**AIRDROP OF SUPPLIES AND EQUIPMENT:
RIGGING 1 1/2-TON TRAILERS**

This change adds the procedures for rigging the 1 1/2-ton cargo trailer for airdrop by LAPE.

FM 10-532/TO 13C7-3-361, 16 April 1979, is changed as follows:

1. Remove old pages and insert new pages as indicated below:

Remove pages	Insert pages
i through v	i through v
2-1 and 2-2.	2-1 and 2-2
	2-17 through 2-30
3-1 and 3-2.	3-1 and 3-2
4-13 and 4-14	4-13 and 4-14

2. New or changed material is identified by a vertical bar in the margin opposite the changed material.
3. File this transmittal sheet in front of the publication for reference purposes.

DISTRIBUTION RESTRICTION: This publication contains technical or operational information that is for official Government use only. Distribution is limited to US Government agencies. Requests from outside the US Government for release of this publication under the Freedom of Information Act or the Foreign Military Sales Program must be made to HQ TRADOC, Ft Monroe, VA 23651.

By Order of the Secretaries of the Army and the Air Force:

JOHN A. WICKHAM, JR.
General, United States Army
Chief of Staff

Official:

ROBERT M. JOYCE
Major General, United States Army
The Adjutant General

DISTRIBUTION:

Active Army, ARNG, and USAR: To be distributed in accordance with DA Form 12-11A, Requirements for Airdrop of Supplies and Equipment (Qty rqr block no. 228).

Additional copies may be requisitioned from the US Army Adjutant General Publications Center, 2800 Eastern Boulevard, Baltimore, MD 21220.

CHANGE
No. 1

C1, FM 10-532/TO 13C7-3-361

**DEPARTMENTS OF THE ARMY
AND THE AIR FORCE
Washington, DC, 5 March 1982**

**AIRDROP OF SUPPLIES AND EQUIPMENT
RIGGING 1 1/2-TON TRAILERS**

FM 10-532/TO 13C7-3-361, 16 April 1979, is changed as follows:

- 1. Remove old pages and insert new pages as indicated below:**

Remove pages

**i through iv
1-1
2-11 through 2-16
3-11 through 3-14
4-1 through 4-4
4-9 through 4-12
4-21 and 4-22
5-1 and 5-2
5-15 through 5-19
A-1**

Insert pages

**i through v
1-1
2-11 through 2-16
3-11 through 3-15
4-1 through 4-4
4-9 through 4-12
4-21 and 4-22
5-1 and 5-2
5-15 through 5-20
6-1 through 6-18
A-1**

- 2. New or changed material is identified by a vertical bar in the margin opposite the changed material. Changes to illustrations are indicated by miniature pointing hands.**
- 3. File this change sheet in front of the publication for reference purposes.**

By Order of the Secretaries of the Army and the Air Force:

E. C. MEYER
General, United States Army
Chief of Staff

Official:

ROBERT M. JOYCE
Brigadier General, United States Army
The Adjutant General

DISTRIBUTION:

Active Army, USAR, and ARNG: To be distributed in accordance with DA Form 12-11A, Requirements for Airdrop of Supplies and Equipment (Qty rqr block no. 228).

Additional copies can be requisitioned from the US Army Adjutant General Publications Center, 2800 Eastern Boulevard, Baltimore, MD 21220.

FIELD MANUAL
NO 10-532
TECHNICAL ORDER
NO 13C7-3-361

HEADQUARTERS
DEPARTMENTS OF THE ARMY
AND THE AIR FORCE
Washington, DC, 16 April 1979

AIRDROP OF SUPPLIES AND EQUIPMENT:
RIGGING 1 1/2-TON TRAILERS

TABLE OF CONTENTS

	Paragraph	Page
CHAPTER 1 INTRODUCTION		
Scope	1-1	1-1
Special Considerations	1-2	1-1
Recommended Changes	1-3	1-1
CHAPTER 2 RIGGING CARGO TRAILER		
Section I RIGGING TRAILER FOR LOW-VELOCITY AIRDROP		
Description of Load	2-1	2-1
Preparing Platform	2-2	2-1
Preparing and Positioning Honeycomb	2-3	2-1
Preparing Trailer	2-4	2-1
Stowing Accompanying Load and Trailer Components	2-5	2-4
Installing Suspension Slings	2-6	2-8
Positioning Trailer	2-7	2-9
Installing Lashings	2-8	2-9
Installing Parachute Stowage Platform	2-9	2-9
Stowing Cargo Parachutes	2-10	2-12
Installing Extraction System	2-11	2-13
Installing Release System	2-12	2-13
Positioning Extraction Parachute	2-13	2-13
Marking Rigged Load	2-14	2-13
Equipment Required	2-15	2-13

DISTRIBUTION RESTRICTION: Distribution authorized to US government agencies only to protect technical or operational information from automatic dissemination under the International Exchange Program or by other means. This determination was made on 30 April 1991. Other requests for this document will be referred to Airborne and Field Services Department, US Army Quartermaster Center and School, 1010 Shop Road, Fort Lee, VA 23801-1502.

DESTRUCTION NOTICE: Destroy by any method that will prevent disclosure of contents or reconstruction of the document.

*This publication supersedes FM 10-532/TO 13C7-3-361, 30 January 1975.

	Paragraph	Page
Section II		
RIGGING TRAILER FOR LAPE AIRDROP		
Description of Load	2-16	2-17
Preparing Platform	2-17	2-17
Preparing and Placing Honeycomb	2-18	2-18
Preparing Trailer	2-19	2-18
Stowing Accompanying Load and Trailer Components	2-20	2-18
Positioning Trailer	2-21	2-22
Installing Lashings	2-22	2-22
Installing Attitude Control Bar (ACB)	2-23	2-26
Installing Extraction System	2-24	2-28
Positioning Extraction Parachutes	2-25	2-28
Marking Rigged Load	2-26	2-28
Equipment Required	2-27	2-28
CHAPTER 3		
RIGGING TRAILER-MOUNTED WELDING SET		
Description of Load	3-1	3-1
Preparing Platform	3-2	3-1
Preparing and Positioning Honeycomb	3-3	3-1
Preparing Trailer	3-4	3-5
Installing Suspension Slings	3-5	3-5
Positioning Trailer	3-6	3-5
Installing Lashings	3-7	3-5
Installing Parachute Stowage Platform	3-8	3-5
Stowing Cargo Parachutes	3-9	3-12
Installing Extraction System	3-10	3-12
Installing Release System	3-11	3-12
Positioning Extraction Parachute	3-12	3-12
Marking Rigged Load	3-13	3-12
Equipment Required	3-14	3-12
CHAPTER 4		
RIGGING WATER TANK TRAILERS		
Section I		
RIGGING 400-GALLON CAPACITY WATER TRAILER FOR LOW-VELOCITY AIRDROP		
Description of Load	4-1	4-1
Preparing Platform	4-2	4-1
Preparing and Positioning Honeycomb Stacks	4-3	4-1
Preparing Trailer	4-4	4-1
Installing Suspension Slings	4-5	4-4
Positioning Trailer	4-6	4-5
Installing Lashings	4-7	4-5
Installing Parachute Stowage Platform	4-8	4-5
Stowing Cargo Parachutes	4-9	4-8
Installing Extraction System	4-10	4-9
Installing Release System	4-11	4-10

	Paragraph	Page
	Positioning Extraction Parachute.....	4-12 4-10
	Marking the Rigged Load	4-13 4-10
	Equipment Required.....	4-14 4-10
Section II	RIGGING 400-GALLON CAPACITY WATER TRAILER FOR LAPES	
	Description of Load	4-15 4-13
	Preparing Platform.....	4-16 4-13
	Preparing and Positioning Honeycomb Stacks	4-17 4-13
	Preparing Trailer	4-18 4-14
	Positioning Trailer.....	4-19 4-14
	Installing Lashings	4-20 4-15
	Installing Attitude Control Bar	4-21 4-15
	Installing Extraction System	4-22 4-15
	Positioning Extraction Parachutes	4-23 4-21
	Marking Rigged Load	4-24 4-21
	Equipment Required	4-25 4-21
CHAPTER 5	RIGGING CHEMICAL-BIOLOGICAL COLLECTIVE PROTECTION SHELTER	
	Description of Load	5-1 5-1
	Preparing Platform.....	5-2 5-1
	Preparing and Positioning Honeycomb.....	5-3 5-1
	Preparing Trailer	5-4 5-1
	Preparing Shelter.....	5-5 5-1
	Stowing Shelter	5-6 5-12
	Installing Suspension Slings.....	5-7 5-12
	Positioning Trailer.....	5-8 5-12
	Installing Lashings	5-9 5-12
	Installing Parachute Stowage Platform	5-10 5-12
	Stowing Cargo Parachutes.....	5-11 5-15
	Installing Extraction System	5-12 5-15
	Installing Release System	5-13 5-15
	Positioning Extraction Parachute.....	5-14 5-15
	Marking Rigged Load	5-15 5-18
	Equipment Required.....	5-16 5-18
CHAPTER 6	RIGGING 420-GALLON-PER-HOUR WATER PURIFICATION UNIT	
	Description of Load	6-1 6-1
	Preparing Platform.....	6-2 6-1
	Preparing and Positioning Honeycomb.....	6-3 6-1
	Preparing Trailer	6-4 6-3
	Preparing Water Purification Unit and Supporting Equipment.....	6-5 6-4
	Stowing Water Purification Unit and Supporting Equipment	6-6 6-6

	Paragraph	Page
Installing Suspension Slings	6-7	6-12
Safetying Suspension Slings	6-8	6-14
Positioning Trailer	6-9	6-14
Installing Lashings	6-10	6-14
Installing Parachute Stowage Platform	6-11	6-14
Stowing Cargo Parachutes	6-12	6-14
Installing Extraction System	6-13	6-14
Installing Release System	6-14	6-16
Positioning Extraction Parachute	6-15	6-16
Marking Rigged Load	6-16	6-16
Equipment Required	6-17	6-16
 CHAPTER 7 RIGGING 1 1/2-TON TRAILER ON A TYPE V PLATFORM		
Section I LOW-VELOCITY AIRDROP		
Description of Load	7-1	7-1
Preparing Platform	7-2	7-2
Building and Placing Honeycomb Stacks	7-3	7-3
Preparing Trailer	7-4	7-7
Stowing Accompanying Load and Trailer Components	7-5	7-9
Building Body Protection Boards	7-6	7-16
Lashing Body Protection Boards and Accompanying Load to Trailer	7-7	7-17
Installing Lifting Slings and Positioning Trailer on Platform	7-8	7-19
Lashing Trailer	7-9	7-21
Installing and Safetying Suspension Slings	7-10	7-22
Building and Installing Parachute Stowage Platform	7-11	7-23
Stowing and Securing Cargo Parachutes	7-12	7-25
Installing Extraction System	7-13	7-26
Installing Parachute Release	7-14	7-28
Installing Provisions for Emergency Restraints	7-15	7-29
Placing Extraction Parachute	7-16	7-29
Marking Rigged Load	7-17	7-29
Equipment Required	7-18	7-29
 Section II LAPE AIRDROP		
Description of Load	7-19	7-33
Preparing Platform	7-20	7-33
Building and Placing Honeycomb Stacks	7-21	7-35
Preparing Trailer	7-22	7-39
Stowing Accompanying Load and Trailer Components	7-23	7-39
Installing Lifting Slings and Positioning Trailer on Platform	7-24	7-42
Lashing Trailer	7-25	7-44
Positioning and Lashing ACB	7-26	7-48
Installing Extraction System	7-27	7-51
Placing Extraction Parachutes	7-28	7-53

	Paragraph	Page
Marking Rigged Load	7-29	7-53
Equipment Required	7-30	7-53
CHAPTER 8 RIGGING 400-GALLON CAPACITY WATER TRAILER FOR LOW-VELOCITY AIRDROP ON A 12-FOOT TYPE V AIRDROP PLATFORM		
Description of Load	8-1	8-1
Preparing Platform	8-2	8-2
Preparing Honeycomb Stacks	8-3	8-3
Positioning Honeycomb stacks	8-4	8-7
Preparing Trailer	8-5	8-8
Lifting and Positioning Trailer	8-6	8-10
Installing Lashings	8-7	8-11
Building Parachute Stowage Platform	8-8	8-13
Installing Parachute Stowage Platform	8-9	8-14
Installing Load Cover	8-10	8-15
Installing and Safetying Suspension Slings	8-11	8-16
Stowing Cargo Parachutes	8-12	8-17
Installing Extraction System	8-13	8-18
Installing Parachute Release	8-14	8-20
Installing Provisions for Emergency Restraints	8-15	8-21
Placing Extraction Parachute	8-16	8-21
Marking the Rigged Load	8-17	8-21
Equipment Required	8-18	8-21
GLOSSARY		Glossary-1
REFERENCES		References-1